LUZ SOMBRA

Bandido

Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



Light Source

6 x G9 LED COB bulb 2.5 W max. 120 V ~ 60 Hz 0.020 A Included 5 Wh


Indoor use

B

FLUX 70

Pendant Lamp

Instructions



Bandido

Distrito Bandido


RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bulb replacement

Tutoria



- Unscrew the glass diffusers by turning them counter clockwise.
- 2 Remove the bulb and insert the replacement.
- Place the glass diffusers by turning them clockwise.

Pendant Lamp

We suggest that any electrical work be performed by a specialist.


4

CAUTION: Turn off the power supply before executing any electrical installation.




We recommend incorporating structural reinforcement elements in drywall or comparable wall and ceiling finishes.





2 Vertical



Electrical Cable

Cable for connection to electrical supply DOES NOT SUPPORT WEIGHT

Tension Cable

Cable for lamp weight support




*Cut the tension cable if the VERTICAL configuration is required.

Horizontal Configuration Pendant Lamp

We suggest that any electrical work be performed by a specialist.

Parts incluided.






CAUTION: Turn off the power supply before executing any electrical installation.




We recommend incorporating structural reinforcement elements in drywall or comparable wall and ceiling finishes.

Placement of wall plugs. Before drilling, mark the location of the screws according to the Fixing Template and ensure that they are correctly aligned.




The installation should be done by two people.


 ${\displaystyle \mathop{2}_{\text{Secure the decentralizing barrel.}}^{\text{(A)}}}$




 ${f 3}^{\hbox{\scriptsize (A)}}_{\hbox{\scriptsize Pass the tension cable through the decentralizer.}}$



4 ®
Level the light fixture and adjust to the required height.




After making the electrical connection, cut off any excess of tension cable.



Horizontal Configuration Pendant Lamp

We suggest that any electrical work be performed by a specialist.

Parts incluided.






CAUTION: Turn off the power supply before executing any electrical installation.



We recommend incorporating structural reinforcement elements in drywall or comparable wall and ceiling finishes.


Placement of wall plugs. Before drilling, mark the location of the screws according to the Fixing Template and ensure that they are correctly




The installation should be done by two people.


(B) Fasten Light Crossbar.


*Electrical supply cables.





3 B Pass the canopy through the cable.







Vertical Configuration Pendant Lamp

We suggest that any electrical work be performed by a specialist.

Parts incluided.






4

CAUTION: Turn off the power supply before executing any electrical installation.




We recommend incorporating structural reinforcement elements in drywall or comparable wall and ceiling finishes.

Placement of wall plugs. Before drilling, mark the location of the screws according to the Fixing Template and ensure that they are correctly aligned.




The installation should be done by two people.


 $\mathbf{2}^{\,_{(A)}}$ Secure the decentralizing barrel.




4 (A)
Level the light fixture and adjust to the required height.



 $f 3^{ ext{ iny Pass}}$ Pass the tension cable through the decentralizer.




After making the electrical connection, cut off any excess of tension cable.




Vertical Configuration Pendant Lamp

We suggest that any electrical work be performed by a specialist.


Parts incluided.







Connect the cables +with+&-with-through the connector.






CAUTION: Turn off the power supply before executing any electrical installation.




(A) □


We recommend incorporating structural reinforcement elements in drywall or comparable wall and ceiling finishes.

Placement of wall plugs. Before drilling, mark the location of the screws according to the Fixing Template and ensure that they are correctly aligned.



The installation should be done by two people.





Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following QR Code.




Light Source

2 x G9 LED COB bulb 2.5 W max. 120 V ~ 60 Hz 0.020 A Included 5 Wh

Indoor use

FLUX

Pendant Lamp Instructions




Distrito Bandido

RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com


Bandido

Bulb replacement Tutorial




We suggest that any electrical work be performed by a specialist.


Parts included.




2 Pass the canopy through the cable.




4 Canopy fastening.



1 Cut the cable to the desired lenght. Fasten Light Crossbar.



Connect the cables +with+&-with-through the connector.




Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.





Sconce Lamp
Instructions



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement

1 x G9 LED COB bulb 2.5 W max.

Tutorial

Light Source


Indoor use

120 V ~ 60 Hz 0.020 A Included 5 Wh


1

2

3




4




We suggest that any electrical work be performed by a specialist.


Parts included.




Placement of wall plugs. Before drilling, mark the location of the screws according to the Fixing Template and ensure that they are correctly aligned.



2 Connect the cables +with+&-with-through the connector.




3 Mount the light fixture on the wall.



*Place cables through the hole on wall.

4 Place the glass diffuser by turning them clockwise.



Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following QR Code.




Light Source

4 x G9 LED COB bulb 2.5 W max. 120 V ~ 60 Hz 0.020 A Included 5 Wh

Indoor use

CORE 40

Pendant Lamp Instructions




Distrito Bandido

RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement Tutorial




- Unscrew the glass diffusers by turning them counter clockwise.
- Remove the bulb and insert the replacement.
- Place the glass diffusers by turning them clockwise.

Pendant Lamp


We suggest that any electrical work be performed by a specialist.

Parts included.



location of the screws according to the Fixing Template and ensure that they are correctly

Placement of wall plugs. Before drilling, mark the aligned.



CAUTION: Turn off the power supply before

We recommend incorporating structural


reinforcement elements in drywall or

comparable wall and ceiling finishes.

executing any electrical installation.


The installation should be done by two people.

Secure the decentralizing barrel.




4 (A)


Level the light fixture and adjust to the required height.




(A)
Pass the tension cable through the decentralizer.



After making the electrical connection,






Pendant Lamp


We suggest that any electrical work be performed by a specialist.

Parts included.




B Fasten Light Crossbar.


*Electrical supply cables..



Connect the cables +with+&-with-through the connector.



3 [®] Pass the canopy through the cable.




CAUTION: Turn off the power supply before

executing any electrical installation.

We recommend incorporating structural

reinforcement elements in drywall or

comparable wall and ceiling finishes.



Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Light Source

1 x G9 LED COB bulb 2.5 W max. 120 V ~ 60 Hz 0.020 A Included 5 Wh

Indoor use



Pendant Lamp Instructions



Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement Tutorial







Parts included.

Pendant Lamp

We suggest that any electrical work be performed by a specialist.

Canopy (1 pc.)

Light crossbar


Wall Plug


Screw (3 pcs.)

△ 袋

CAUTION: Turn off the power supply before executing any electrical installation.

Placement of wall plugs. Before drilling, mark the location of the screws according to the Fixing Template and ensure that they are correctly aligned.






The installation should be done by two people.



 $\mathbf{2}^{\,_{(A)}}$ Secure the decentralizing barrel.




Diffuser (1 pc.)

G9 Bulb (1 pc.)


Decentralizer

Pass the tension cable through the decentralizer.




4 (A)

Level the light fixture and adjust to the required height.



5
After making the electrical connection, cut off any excess of tension cable.



Pendant Lamp

We suggest that any electrical work be

performed by a specialist.



Canopy (1 pc.)



Diffuser (1 pc.)



Light crossbar



Decentralizer




Wall Plug (3 pcs.)




G9 Bulb (1 pc.)



Screw (3 pcs.)



Placement of wall plugs. Before drilling, mark the location of the screws according to the Fixing Template and ensure that they are correctly aligned.



CAUTION: Turn off the power supply before


executing any electrical installation.


The installation should be done by two people.




Cut the cable to the desired length.

2 [®] Fasten Light Crossbar.






3 [®] Pass the canopy through the cable.



5 B Canopy fastening.



Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following QR Code.




Light Source

1 x G9 LED COB bulb 2.5 W max. 120 V ~ 60 Hz 0.020 A Included 5 Wh

Indoor use



Sconce Lamp Instructions




Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement Tutorial









We suggest that any electrical work be performed by a specialist.

Parts Included.




Placement of wall plugs. Before drilling, mark the location of the screws according to the Fixing Template and ensure that they are correctly aligned.




2 Connect the cables +with+&-with-through the connector.

3 Mount the light fixture on the wall.



4 Place the glass diffuser by turning it clockwise.



Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Light Source

1 x G9 LED 6W max. 120 V ~ 60 Hz 0.020 A Included 5 Wh

Indoor use




Pendant Lamp Instructions



RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente

Bandido

Bulb replacement Tutorial



Distrito Bandido


+52 (222) 688 8442

C.P. 72150. Puebla, Puebla


www.bandidostudio.com

We suggest that any electrical work be performed by a specialist.


Parts included.




2 Pass the canopy through the cable.




4 Canopy fastening.



1 Cut the cable to the desired lenght. Fasten Light Crossbar.



Connect the cables +with+&-with-through the connector.




Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



AXIS

Sconce Lamp Instructions



Light Source

1 x G9 LED 6W max. 120 V ~ 60 Hz 0.020 A Included 5 Wh

Indoor use


Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com


Bandido

Bulb replacement Tutorial










We suggest that any electrical work be performed by a specialist.

GENERAL INSTALLATION DIAGRAM


Piezas incluidas.




Placement of wall plugs. Before drilling, mark the location of the metal bars according to the Fixing Template and ensure that they are correctly aligned.



2 Connect the cables +with+&-with-through the thermofit.




3 Insert the lamp into the metal bars.



*Place cables through the hole on wall.

4 Secure the lamp by adjusting the set screws with the Allen key, until it's properly fastened.



Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following QR Code.



Light Source


1 x lamp LED GU10 Bulb 7 W 100 V ~ 130 60 Hz 7 W LED 0.07 - 0.05 A Incluided 7 Wh

Indoor Use

DUO

Pendant Lamp

Instructions



Distrito Bandido


RFC: DBA200515RT3


Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com


Bandido

Bulb Replacement Tutorial










Pendant Lamp

We suggest that any electrical work should be performed by a qualified electrician.


Parts included.



Cut cable to desired length. Secure crossbar in place.



3 Connect the wires through the connector.




4


CAUTION: Turn off the power supply before executing any electrical installation.




We recommend incorporating structural reinforcement elements in drywall or comparable wall and ceiling finishes.



Pass the electrical cable through the cable-conduit and the tension cable through the tension head. Place the safety knot on the tension cable.



Canopy fastening.



Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente

www.bandidostudio.com

1 x lamp LED GU10 Bulb 7 W 100 V ~ 130 60 Hz 7 W LED 0.07 - 0.05 A Included 7 Wh

Indoor Use

Distrito Bandido

C.P. 72150. Puebla, Puebla


+52 (222) 688 8442


Bandido


Bulb Replacement Tutorial


Sconce Lamp

Instructions











Sconce Lamp

We suggest that any electrical work should be performed by a qualified electrician.


Parts included.




2 Placement of hexagonal screws.



*Leave 2-3 mm separation from wall.



Carefully align the fixture body and position it onto the hexagonal screws.



*Place cables through the hole on wall.




CAUTION: Turn off the power supply before executing any electrical installation.



We recommend incorporating structural reinforcement elements in drywall or comparable wall and ceiling finishes.

Before drilling, use the **Fixation Template** to mark the screw positions, ensuring they are aligned, level, and horizontal.



3 Connect wires through the connector.

Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

B

FASE

Pendant Lamp
Instructions



Bandido

Indications of use

Light Source


Included 18 Wh

Indoor use

1 x LED module 18 W

127 V ~ 60 Hz 18 W LED 0.141 A

- Unpack carefully. The materials are brittle and can easily crack.
- **2** Follow instructions on back of sheet for installation of this product.
- **3** Rotate onyx disc to align the guide tags.




Spare parts


- $\bullet \quad \hbox{To replace the LED module, contact Bandido directly.} \\$
- Driver integrated in the product.

We suggest that any electrical work should be performed by a qualified electrician.

Parts included.




Cut the cable to the desired length. Place the wall plugs and fix the plate with the screws to the ceiling.



The installation should be done by two people.

Pass the cable gland, fastener, canopy and cable holder "8" through the cable, then hang it on to the hook.

Connect the wires through the Driver according to the cable label.



*Place Driver inside the canopy.

Connection of cables from lamp to Driver:

Positive (+) with positive (+). Negative (-) with negative (-).

^{*}Screw fastener lightly until the canopy is secure.

Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Distrito Bandido

RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

B FASE

Sconce Lamp
Instructions



Bandido

Indications of use

Light Source

Included 15 Wh

Indoor use

1 x LED module 15 W

127 V ~ 60 Hz 15 W LED 0.118 A

- Unpack carefully. The materials are brittle and can easily crack.
- 2 Follow instructions on back of sheet for installation of this product.

Spare parts


- To replace the LED module, contact Bandido directly.
- Driver integrated in the product.

We suggest that any electrical work should be performed by a qualified electrician.


Parts included.




Before drilling, use the **Fixation Template** to mark the screw positions, ensuring they are aligned, level, and horizontal.



2 Placement of hexagonal screws.




Connect the wires + to + and - to - through the connector.




*Leave a 2-3 mm separation from wall.

4 Carefully align the fixture body and position it onto the hexagonal screws.



5 Onyx diffuser placement and Brass / Steel disk.



*Place Driver inside the hole on wall.


Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.





Sconce Lamp
Instructions



Distrito Bandido

Light Source

1 x LED module 15 W 127 V ~ 60 Hz 15 W LED 0.118 A Included 15 Wh

Indoor use

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Indications of use

- 1 Unpack carefully. The materials are brittle and can easily
- **2** Follow instructions on back of sheet for installation of this product.

Spare parts


- To replace the LED module, contact Bandido directly.
- Driver integrated in the product.

We suggest that any electrical work should be performed by a qualified electrician.


Parts included.




Before drilling, use the **Fixation Template** to mark the screw positions, ensuring they are aligned, level, and horizontal.



2 Placement of hexagonal screws.




Connect the wires + to + and - to - through the connector.




*Leave a 2-3 mm separation from wall.

4 Carefully align the fixture body and position it onto the hexagonal screws.



5 Onyx diffuser placement and Brass / Steel disk.



*Place Driver inside the hole on wall.

R

Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Light Source

3 x G9 LED COB bulb 2.5 W máx. 120 V ~ 60 Hz 0.020 A Included 7.5 Wh

Indoor Use

HUMO 18

Pendant Lamp Instructions



Distrito Bandido

RFC: DBA200515RT3


Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com


Bandido

Bulb replacement

Tutorial









*Align the glasses diffusers and screw gently to avoid jamming.

We suggest that any electrical work should be performed by a qualified electrician.


Parts included.




Cut the cable to the desired lenght.




2 Pass the canopy and cable holder "8" through the cable.



3 Connect the wires through the connector.



4 Canopy fastening.



Bandido creates products that generate harmony and warmth in each space where they are present. We hope you enjoy your new product and exceeds all your expectations.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



Light Source


2 x G9 LED COB bulb 2.5 W máx. 120 V ~ 60 Hz 0.020 A Included 5 Wh

Indoor Use

B

HUMO 13

Pendant Lamp Instructions



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com

Bandido


Bulb replacement Tutorial

Tutoria


*Align the glasses diffusers and screw gently to avoid jamming.




2




Parts included.




Cut the cable to the desired lenght.




2 Pass the canopy and cable holder "8" through the cable.



3 Connect the wires through the connector.



4 Canopy fastening.




You can get more information about the maintenance of your product and warranty by scanning the following QR Code.



HUMO 18

Wall Sconce Instructions



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement


Tutorial


Indoor Use


Light Source

120 V ~ 60 Hz 0.020 A Included 5 Wh

2 x G9 LED COB bulb 2.5 W máx.








*Align the glasses diffusers and screw gently to avoid jamming.




Parts included.




Placement of wall plugs. Before drilling, mark the location of the screws according to the steel plate.




2 Steel plate fastening.






4 Body fastening.

*Remove label once installed the lamp.






You can get more information about the maintenance of your product and warranty by scanning the following QR Code.



HUMO 13

Wall Sconce Instructions



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido


Light Source


2 x G9 LED COB bulb 2.5 W máx. 120 V ~ 60 Hz 0.020 A Included 5 Wh


Indoor Use

Bulb replacement

Tutorial








*Align the glasses diffusers and screw gently to avoid jamming.

Parts included.




Placement of wall plugs. Before drilling, mark the location of the screws according to the steel plate.

Connect the wires through the connector.




2 Steel plate fastening.






Body fastening.

*Remove label once installed the lamp.






You can get more information about the maintenance of your product and warranty by scanning the following QR Code.





Table Lamp Instructions



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement


2 x G9 LED COB bulb 2.5 W máx. 120 V ~ 60 Hz 0.020 A

Tutorial


Light Source

Included 7.5 Wh

Indoor Use







*Align the glasses diffusers and screw gently to avoid jamming.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



Distrito Bandido

RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com **FASE**

Floor Lamp
Instructions



Bandido

1 x LED module 18 W 127 V ~ 60 Hz 18 W LED 0.141 A Included 18 Wh

Indoor use

Light Source

Indications of use

- Unpack carefully. The materials are brittle and can easily crack.
- 2 Connect plug to electrical outlet.
- **3**Use button switch to turn on and off.

Spare parts


- To replace the LED module, contact Bandido directly.
- Driver integrated in the product.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



TEMPLO

Wall Sconce Instructions



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement Tutorial

Light Source


Included 5 Wh

Indoor Use

1 x G9 LED bulb 5 W max.

120 V ~ 60 Hz 5 W 0.038 A.











Parts included.




Placement of wall plugs. Before drilling, mark the location of the screws according to the steel plate.




2 Steel plate fastening.




3 Connect the wires through the connector.



4 Body fastening.





You can get more information about the maintenance of your product and warranty by scanning the following QR Code.



Light Source


1 x E27 LED bulb PAR30 10 W max. 120 V ~ 60 Hz 10 W LED 0.1 A. Included 10 Wh

Indoor Use

TEMPLO

Pendant Lamp

Instructions




Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com

Bandido


Bulb replacement Tutorial









Parts included.




Cut the cable to the desired lenght. Place the wall plugs and fix the light crossbar to the ceiling.




2 Pass the canopy and cable holder "8" through the cable.



3 Connect the wires through the connector.



4 Canopy fastening.



You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



Light Source


2 x E27 LED bulb PAR20 7 W max. 127 V ~ 60 Hz 7 W LED 0.07 A. Included 7 Wh

Indoor Use



TEMPLO

Floor Lamp Instructions




Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com


Bandido

Bulb replacement Tutorial






Parts included.




1






 $\mbox{{\sc ke}}$ Reference screw for positioning the lamp tube over the base.



3 Lamp assembly.

 ullet Verify that the cable is facing the back of the lamp.




You can get more information about the maintenance of your product and warranty by scanning the following QR Code.



DBH 02 I

Wall Sconce Instructions



Distrito Bandido

Light Source

1 x G9 LED COB bulb 2.5 W max. 120 V ~ 60 Hz 2.5 W LED 0.02 A. Included 2.5 Wh

Indoor use


RFC: DBA200515RT3


Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com Bandido


Bulb replacement Tutorial

*Align the glass diffuser and screw gently to avoid jamming.











Parts included.




Placement of wall plugs. Before drilling, mark the location of the wall holes according to the module.




Fix the module to the wall.

2 Connect the wires through the connector.



4 Put the brass cover followed by the LED Bulbs and Glass Diffusers.




*Align the glass diffuser and screw gently to avoid jamming.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



DBH 02 II

Wall Sconce Instructions



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement Tutorial


2 x G9 LED COB bulb 2.5 W max.


120 V ~ 60 Hz 2.5 W LED 0.02 A.


Light Source

Included 2.5 Wh

Indoor use









*Align the glass diffuser and screw gently to avoid jamming.


Parts included.




Placement of wall plugs. Before drilling, mark the location of the wall holes according to the **module**.




2 Connect the wires through the connector.



3 Fix the module to the wall.



4 Put the brass cover followed by the LED Bulbs and Glass Diffusers.



You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Light Source

3 x G9 LED COB bulb 2.5 W max. 120 V ~ 60 Hz 2.5 W LED 0.02 A. Included 2.5 Wh

Indoor use

DBH 02 III

Wall Sconce Instructions




Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com


Bandido

Bulb replacement Tutorial










*Align the glass diffuser and screw gently to avoid jamming.


Parts included.




Placement of wall plugs. Before drilling, mark the location of the wall holes according to the module.




2 Connect the wires through the connector.



3 Fix the module to the wall.



4 Put the brass cover followed by the LED Bulbs and Glass Diffusers.



You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Light Source

1 x E27 LED bulb 5 W max. 120 V ~ 60 Hz 5 W LED 0.04 A Included 4.3 Wh

Indoor Use

DBH 02

Pendant Lamp Instructions



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement Tutorial











*Align the glass diffuser and screw gently to avoid jamming.


Parts included.




Cut the cable to the desired lenght. Place the wall plugs and fix the light crossbar to the ceiling.




2 Pass the canopy and cable holder "8" through the cable.




3 Connect the wires through the connector.



4 Canopy fastening.





You can get more information about the maintenance of your product and warranty by scanning the following QR Code.



Light Source


1 x G9 LED COB Bulb 2.5 W max. 120 V ~ 60 Hz 2.5 W LED 0.02 A Included 2.5 Wh

Indoor use

B

AURA

Table Lamp Instructions



Distrito Bandido

RFC: DBA200515RT3


Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com


Bandido


Bulb replacement Tutorial













*Align the glass diffuser and screw gently to avoid jamming.

Parts included.




2 Fix discs on holder.


 $^{^{\}star}$ Place the discs on holder according to this illustration.




3 Place the bulb and diffuser.



Place the holder on top of the base and fix it with the ring.




Whether or not to use washers depends on the adjustment needed for the discs.



*Place the washer between the screw and the holder to adjust the assembly.

4 Switch on.




You can get more information about the maintenance of your product and warranty by scanning the following QR Code.



\mathbf{B} **AURA**

Wall Sconce Instructions



1 x G9 LED bulb 7 W max.

120 V ~ 60 Hz 7 W LED 0.05 A. Included 7 Wh

Indoor use

Light Source


Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement Tutorial







Parts included.



Wood Body (1 pc.)




Steel disc




LED Bulb (1 pc.)




Screws and wall plugs (2 pcs. of each) Placement of the wall plugs. Before drilling, mark the location of the screws according to the **Wood Body**.




2 Connect the wires through the connector.






3 Fix the Wood Body to the wall.



Handle with care, fragile materials.

4 Steel disc placement.



You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Light Source

1 x G9 LED bulb 5 W max. 120 V ~ 60 Hz 5 W LED 0.03 A. Included 5 Wh

Indoor use

В **AURA**

Pendant Lamp Instructions




Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com

Bandido


Bulb replacement Tutorial









Parts included.




2 Pass the cable through the canopy.




4 Canopy fastening.



Cut the cable to the desire lenght. Place the wall plugs and fix the light crossbar to the ceiling.



3 Connect the wires through the connector.



You can get more information about the maintenance of your product and warranty by scanning the following QR Code.




Light source

1 x E27 LED bulb 8.5 W max. 120 V ~ 60 Hz 8.5 W LED 0.07 A. Included 8.5 Wh

Indoor use

NAGA

Table Lamp Instructions




Distrito Bandido

RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com

Bandido


Bulb replacement Tutorial



Press lightly until it touches the marble body.



After placing the glass diffuser, connect the lamp to the power supply.





You can get more information about the maintenance of your product and warranty by scanning the following QR Code.



Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A

Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

B **NAGA**

Wall Sconce Instructions



Bandido

Bulb replacement Tutorial


Light source

Included 4.3 Wh

Indoor use

1 x E27 LED bulb 5 W max.

120 V ~ 60 Hz 5 W LED 0.04 A



Parts included.



Glass diffuser (1 pc.)




Marble body




LED Bulb (1 pc.)




Screws and wall plugs (2 pcs. of each) Placement of wall plugs. Before drilling, mark the location of the screws according to the Marble Body.




2 Connect the wires through the connector.






3 Fix the lamp to the wall and place the LED Bulb.

*If required, unscrew to remove the felt and fix the luminaire to the wall.



Handle with care, fragile materials.

Place the glass diffuser and tighten the screws with your hand.



You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



Distrito Bandido

RFC: DBA200515RT3 Callejón del Cristo 2 - 6A


Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

NAGA

B

Pendant Lamp Instructions



Bandido

Bulb replacement Tutorial


Light source


Included 4.3 Wh


Indoor use

1 x E27 LED bulb 5 W max.

120 V ~ 60 Hz 5 W LED 0.04 A











Parts included.





Cut the cable to the desired lenght. Place the wall plugs and fix the light crossbar to the ceiling.




Pass the marble, cap, canopy and cable holder "8" through the cable.

3 Connect the wires through the connector.





4 Canopy fastening.



You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



Distrito Bandido

RFC: DBA200515RT3
Callejón del Cristo 2 - 6A


Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

В

Pendant Lamp

BUNA



Bandido

Indications of use

Light Source

Included

Indoor use

3 x LED module 7 W

120 V ~ 60 Hz 7 W LED 0.05 A


Unpack carefully. The materials are brittle and can get damaged easily.

2 Follow instructions on back of sheet for installation of this product.


Spare parts

To replace the LED module, contact Bandido directly.





Cut the cable to the desired length. Place the wall plugs and fix the plate with the screws to the ceiling.




The installation should be done by two people.

Ťx2

Pass the fastener, canopy and cable holder "8" through the cable, then hang it on to the hook.

3 Connect the wires.



 ${}^{\star}\mathsf{Screw}$ fastener lightly until the canopy is secure.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Light source

1 x E27 LED bulb 8 W max. 120 V ~ 60 Hz 8 W LED 0.06 A. Included 8 Wh

Indoor use



Table Lamp Instructions



Distrito Bandido

RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com


Bandido

Bulb replacement Tutorial









After placing the metal lamp shade, connect the lamp to the power supply.

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Distrito Bandido

B

RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Table Lamp Instructions




Light source

1 x G9 LED bulb 6 W max. 120 V ~ 60 Hz 6 W LED 0.06 A Included 6 Wh

Indoor use

Bandido

Bulb replacement Tutorial



You can get more information about the maintenance of your product and warranty by scanning the following QR Code.




Light source

1 x E27 LED bulb 4 W max. 100 - 240 V ~ 60 Hz 4 W LED 0.02 - 0.04 A Included 4 Wh

Indoor use

CTR₀₂

Table Lamp Instructions




Distrito Bandido

RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement Tutorial



Adjust the upper bolt to rotate the metal lamp shade.



You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Light Source

1 x E27 LED bulb 5 W max. 120 V ~ 60 Hz 5 W LED 0.04 A Included 4.3 Wh

Indoor Use

DBH

Pendant Lamp Instructions



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement Tutorial












Parts included.




2 Pass the cable through the canopy.




4 Canopy fastening.



Cut the cable to the desire lenght. Place the wall plugs and fix the light crossbar to the ceiling.



3 Connect the wires through the connector.




You can get more information about the maintenance of your product and warranty by scanning the following QR Code.



NOTE. This installation guide only applies to the CTR01 B Black lamp.

CTR01 B

Pendant Lamp Instructions



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Bulb replacement

Tutorial

Light Source

Included


Indoor use

1 x G9 LED bulb 6 W max.


120 V ~ 60 Hz 6 W LED 0.04 A









Parts included.




2 Pass the cable through the canopy.




4 Canopy fastening.



Cut the cable to the desire lenght. Place the wall plugs and fix the light crossbar to the ceiling.



3 Connect the wires through the connector.




You can get more information about the maintenance of your product and warranty by scanning the following QR Code.



 ${\bf NOTE.}$ This installation guide only applies to the CTR01 B Black Chrome & CTR01 B Brushed Copper.

CTR01 B

Pendant Lamp Instructions



Light Source

1 x E27 LED bulb 8.8 W max. 120 V ~ 60 Hz 8.8 W LED 0.07 A Included

Indoor use

Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com

Bandido


Bulb replacement

Tutorial







Parts included.




2 Pass the cable through the canopy.




4 Canopy fastening.



Cut the cable to the desire lenght. Place the wall plugs and fix the light crossbar to the ceiling.



3 Connect the wires through the connector.



You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.




Light Source

1 x E27 LED bulb 4.5 W max. 120 V ~ 60 Hz 4.5 W LED 0.06 A. Included 4.5 Wh

Indoor use

Pendant Lamp
Instructions

PERLA



Distrito Bandido


RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com


Bandido

Bulb replacement Tutorial







Parts included.




2 Pass the cable through the canopy.




4 Canopy fastening.



Cut the cable to the desire lenght. Place the wall plugs and fix the light crossbar to the ceiling.



3 Connect the wires through the connector.




You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.





Furniture Instructions



Distrito Bandido

RFC: DBA200515RT3 Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com

Bandido

Installation Guide

Furniture


Verify that the rubber It is not posible to manipulate the table from the glass. washers are in place to avoid any damage to the glass. Parts included per table. Glass Steel cap Fix the bolt to hold marble and glass together. Fixing bolt Steel cap Rubber washer (1 pc.) Marble body 3 Rubber washer Glass Fixing bolt (1 pc.) Marble body 0 Rubber washers (2 pcs.)

You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



B L Bracket

Accessories Instructions



Distrito Bandido


RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla


+52 (222) 688 8442 www.bandidostudio.com

Bandido


Parts included.




Placement of wall plugs. Before drilling, mark the location of the screws according to the steel plate.




2 Steel plate fastening



Pass the cable of the Lamp through the L Bracket and Cable Holder "8".



4 Connect the wires through the connector.



5 L Bracket fastening.



Circular Canopy

We suggest that any electrical work should be performed by a qualified electrician.


△ 袋

CAUTION: Turn off the power supply before executing any electrical installation.




This instruction manual applies to the following measures of the circular canopy: ø2,95 in.

Parts included:




Wall plugs placement. (Reference Canopy Measure: Ø 2,95 in).




2 Canopy fastening.

 $\star Fix$ the canopy, once the electrical installation has been completed.



3 Final.



Circular Canopy

We suggest that any electrical work should be performed by a qualified electrician.

△ 袋


CAUTION: Turn off the power supply before executing any electrical installation.

 \bigcap i


This instruction manual applies to the following measures of the circular canopy: 7,8 in / 17,7 in / 23,6 in / 31,4 in.

Parts included.

- The amount of materials depends on the dimensions of the canopy to be installed.
- Wall plugs are specific for concrete slab.




Wall plugs placement. (Reference Canopy Measure: Ø 23,6 in).




2 Canopy fastening.

*Fix the canopy, once the electrical installation has been completed.



3 Final.



Rectangular Canopy

We suggest that any electrical work should be performed by a qualified electrician.

△ 袋


CAUTION: Turn off the power supply before executing any electrical installation.


 $\Box i$

This instruction manual applies to the following measures of the rectangular canopy: 19,6 in / 31,4 in / 23,6 in / 39,3 in / 49,2 in / 59 in.

Parts included.


- The amount of materials depends on the dimensions of the canopy to be installed.
- Wall plugs are specific for concrete slab.






2 Canopy fastening.

*Fix the canopy, once the electrical installation has been completed.



3 Final.



Circular Canopy Ø 47,2 in

We suggest that any electrical work should be performed by a qualified electrician.

△ 袋

CAUTION: Turn off the power supply before executing any electrical installation.




This instruction manual applies to the following measures of the circular canopy:


Ø 47,2 in.

Parts included.

Wall plugs are specific for concrete slab.




Wall plugs placement. (Reference Canopy Measure: Ø 47,2 in).




2 Canopy fastening.

* Fix the canopy, once the electrical installation has been







You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



B CANOPY

Accessories



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com Bandido

Circular Canopy

We suggest that any electrical work should be performed by a qualified electrician.

△ 袋


CAUTION: Turn off the power supply before executing any electrical installation.




This instruction manual applies to the following measures of the circular canopy: 17,7 in / 23,6 in / 31,4 in.

Parts included.

- The amount of materials depends on the dimensions of the canopy to be installed.
- Wall plugs are specific for concrete slab.









2 Fasten the canopy to the cross-piece.

 * Secure the canopy by adjusting the central cover.



^{*}Adjust and level the canopy according to ceiling's surface by adjusting the covers.

3 Adjust cable holders.




You can get more information about the maintenance of your product and warranty by scanning the following **QR Code**.



B CANOPY

Accessories



Distrito Bandido

RFC: DBA200515RT3

Callejón del Cristo 2 - 6A Col. San José del Puente C.P. 72150. Puebla, Puebla

+52 (222) 688 8442 www.bandidostudio.com Bandido

Rectangular Canopy

We suggest that any electrical work should be performed by a qualified electrician.

△ 袋


CAUTION: Turn off the power supply before executing any electrical installation.

Ĩ


This instruction manual applies to the following measures of the rectangular canopy: 19,6 in / 31,4 in / 39,3 in / 49,2 in / 59 in.

Parts included.


- The amount of materials depends on the dimensions of the canopy to be installed.
- Wall plugs are specific for concrete slab.



Place the wall plugs and fix mounting bar to the ceiling. (Reference Canopy Measure: 31,4 in).




2 Complete the electrical installation and fasten the canopy to the mounting bar.



*Adjust and level the canopy according to ceiling's surface by adjusting the covers.

3 Adjust cable holders.



bandidostudio.com





PUEBLA

Callejón del Cristo 2 Int. 6 A Col. San José Del Puente 72150 Puebla, Pue, México

+52 222 688 8442

CDMX

Aristóteles 127 Polanco IV Sección Miguel Hidalgo 11550 CDMX, México

+52 555 087 2443